

Book Chapters

Sardinha, V.M.; Belangero, W.D.; Bavaresco, V.P.; Gomes, J.R.

Tribological properties of polyvinyl alcohol hydrogels as artificial articular cartilage, Hydrogels: Synthesis, Characterization and Applications

Nova Science Publishers, Inc., New York, 329-342. <https://dl.dropbox.com/u/23568798/Sardinha%20et%20al.pdf>
International Journals

Amaral, M.; Carreira, D.J.; Fernandes, A. J. S.; Abreu, C.S.; Oliveira, F.J.; Gomes, J.R.; Silva, R.F.

A DLC/diamond bilayer approach for reducing the initial friction towards a high bearing capacity

Wear, 290-291, 18-24. doi.org/10.1016/j.wear.2012.05.026

C.B. Garcia, E. Ariza, C.J. Tavares, P. Villechaise

Electron backscatter diffraction analysis of ZnO:Al thin films

Applied Surface Science 259 (2012) 590– 595. DOI: 10.1016/j.apsusc.2012.07.081

Castro, Alexandra; Soares, D.; Vilarinho, C.; Castro, Fernando

Kinetics of thermal de-chlorination of PVC under pyrolytic conditions

Waste Management, 32, 847–851, 2012. doi.org/10.1016/j.wasman.2012.01.004

Costa, Sónia; Puga, H.; Barbosa, Joaquim; Pinto, A.M.P.

The effect of Sc additions on the microstructure and age hardening behaviour of as cast Al–Sc alloys

Materials & Design, 42, 347-352. doi.org/10.1016/j.matdes.2012.06.019

Diniz AC, Nascimento RM, Souza JCM, Carreiro AFP.

Fracture and Shear bond analysis of dental veneering porcelain to zirconia

Journal of Prosthetic Dentistry, 2012. In press. ISSN: 1097-6841, Journal of Prosthetic Dentistry, 2012. In press. .
<https://dl.dropbox.com/u/23568798/JPD-D-12-00034R1.pdf>

Duarte ARC, Silva Neto JP, SOUZA JCM, Bonachela WC

Detorque evaluation of dental abutment screws in a fluoridated artificial saliva solution

Journal of Prosthodontics 2012. . doi: 10.1111/j.1532-849X.2012.00941

Guedes, Aníbal; Pinto, A.M.P.

Active metal brazing of machinable aluminum nitride-based ceramic to stainless steel

Journal of Materials Engineering and Performance, (Em Impressão). DOI: 10.1007/s11665-012-0122-6

Henriques, B.; Soares, D.; Silva, F.S.

Experimental evaluation of the bond strength between a CoCrMo dental alloy and porcelain through a composite metal-ceramic graded transition interlayer

Journal of the Mechanical Behavior of Biomedical Materials, 13, 206-214. doi.org/10.1016/j.jmbbm.2012.04.019

Henriques, B.; Soares, D.; Silva, F.S.

Influence of preoxidation cycle on the bond strength of CoCrMoSi-porcelain dental composites

Materials Science and Engineering C, 32, 2374-2380. doi.org/10.1016/j.msec.2012.07.010

Henriques, B.; Soares, D.; Silva, F.S.

Microstructure, hardness, corrosion resistance and porcelain shear bond strength comparison between cast and hot pressed CoCrMo alloy for metal-ceramic dental restorations

Journal of the Mechanical Behavior of Biomedical Materials, 12, 83-92. doi.org/10.1016/j.jmbbm.2012.03.015

Henriques, B.; Soares, D.; Silva, F.S.

Shear bond strength comparison between conventional porcelain fused to metal and new functionally graded dental restorations after thermal-mechanical cycling

Journal of the Mechanical Behavior of Biomedical Materials, 13, 194-205. doi.org/10.1016/j.jmbbm.2012.06.002

J.C.M. Souza, S.L. Barbosa, E. Ariza, J.-P. Celis, L.A. Rocha

Simultaneous degradation by corrosion and wear of titanium in artificial saliva containing fluorides

Wear 292–293(2012)82–88. DOI: 10.1016/j.wear.2012.05.030

Silva, F.S.; L. Mazare; P. Pinto; G. Miranda; Soares, D.

On the assessment of processing variables on Copper-Tin Functionally Graded Alloys produced by the Incremental Melting and Solidification Process

Materials Science and Technology, 28(6), 748-753. doi.org/10.1179/1743284712Y.0000000013

Toptan, F., Kerti, I., Rocha, L.A.

Reciprocal dry sliding wear behaviour of B4Cp reinforced aluminium alloy matrix composites

Wear 290–291 (2012) 74-85. doi.org/10.1016/j.wear.2012.05.007

Vieira, A. C., Rocha, L. A., Papageorgiou, N., Mischler, S.

Mechanical and electrochemical deterioration mechanisms in the tribocorrosion of Al alloys in NaCl and in NaNO₃ solutions

Corrosion Science, 54 (2012) 26-35 . doi.org/10.1016/j.corsci.2011.08.041

International Conferences

Cristea, D.; Constantin, D.; Crisan, A.; Abreu, C.S.; Gomes, J.R.; Costa, M.F.; Moura, C.; Vaz, F.; Cunha, L

Properties of tantalum oxynitride thin films produced by magnetron sputtering: The influence of processing parameters

12th European Vacuum Conference, Dubrovnik, p. 128-129.

<https://dl.dropbox.com/u/23568798/D%20Cristea%20et%20al%20-%20European%20Vacuum%20Conference.pdf>

Vilarinho, C.; Castro, F.; Soares, D.; Castro, A.; Carneiro, C.; C. Sousa; C. Mações

Energetic valorisation of PVC-containing waste

WasteEng12 - 4th International Conference on Engineering for Waste and Biomass Valorisation, WasteEng12, Porto, p. 669-674. <https://dl.dropbox.com/u/23568798/Energetic%20valorisation%20of%20PVC-containing%20waste.pdf>

National Journals

Castro, Fernando; Vilarinho, C.; Soares, D.; Alexandra Castro; Carneiro, C.; Cesar Mações; Celia Sousa; Silva, Aurora

Projecto PVC4GAS: Valorização material e energética de resíduos com PVC

Valorização de Resíduos, (18), 24-28.

<https://dl.dropbox.com/u/23568798/Projecto%20PVC4GAS%20Valoriza%C3%A7%C3%A3o%20material%20e%20energ%C3%A9tica%20de%20res%C3%ADduos%20com%20PVC.pdf>

Vilarinho, C.; Castro, F.; Soares, D.; Sara Rodrigues

Desenvolvimento e caracterização de latões ecológicos

Fundição, (263), 6-15.

National Conferences

Abreu, C.S.; Martin, N.; Gomes, J.R.

Tribological behaviour of nanostructured thin films

CT2M Scientific Interaction Meetings, Guimarães, p. 27-28.

https://dl.dropbox.com/u/23568798/C.S.%20Abreu%20et%20al%20-%20CT2M%20-%20SIM%20-%20Book%20of%20abstracts_2010-11.pdf

Castanheira, L.; Lopes, J.L.; Gomes, J.R.

Tribological characterization of pHEMA hydrogels for repairing articular cartilage

CT2M Scientific Interaction Meetings, Guimarães, p. 7-8.

https://dl.dropbox.com/u/23568798/L%20Castanheira%20et%20al%20-%20CT2M%20-SIM%20-%20Book%20of%20abstracts_2010-11.pdf

Lopes, J.L.; Machado, J.M.; Castanheira, L.; Granja, P.L.; Gama, F.M.; Dourado, F.; Gomes, J.R.

Tribological evaluation of hydrogels for artificial articular cartilage

CT2M Scientific Interaction Meetings, Guimarães, p. 17-18.

https://dl.dropbox.com/u/23568798/L%20Castanheira%20et%20al%20-%20CT2M%20-SIM%20-%20Book%20of%20abstracts_2010-11.pdf